From:	Elie Kassab
То:	Columbia River Crossing;
CC:	
Subject:	comments
Date:	Tuesday, June 24, 2008 3:57:50 PM
Attachments:	

B-040-001 God Help Us should we have an earthquake with the present bridge in place. Not only do we need to replace it soon, we also need To connect to a 6 billion dollar world class light rail system for the future generations.

Elie G. Kassab President / CEO Prestige Development Office: 360.993.0010 Cell: 503.781.1699 ekassab@prestigedev.com http://www.prestigedev.com

B-040-001

1 of 1

Preferences for specific alternatives or options, as expressed in comments received before and after the issuance of the DEIS, were shared with local sponsor agencies to inform decision making. Following the close of the 60-day DEIS public comment period in July 2008, the CRC project's six local sponsor agencies selected a replacement I-5 bridge with light rail to Clark College as the project's Locally Preferred Alternative (LPA). These sponsor agencies, which include the Portland City Council, Vancouver City Council, TriMet Board, C-TRAN Board, Metro Council, RTC Board, considered the DEIS analysis, public comment, and a recommendation from the CRC Task Force when voting on the LPA.

With the LPA, new bridges will replace the existing Interstate Bridges to carry I-5 traffic, light rail, pedestrians and bicyclists across the Columbia River. Light rail will extend from the Expo Center MAX Station in Portland to a station and park and ride at Clark College in Vancouver. Pedestrians and bicyclists would travel along a wider and safer path than exists today.

For a more detailed description of highway, transit, and bicycle and pedestrian improvements associated with the LPA, see Chapter 2 of the FEIS.

03271

This communication may contain privileged and/or confidential information. It is intended solely for the use of the addressee. If you are not the intended recipient, you are strictly prohibited from disclosing, copying, distributing or using any of this information. If you received this communication in error, please contact the sender immediately and destroy the material in its entirety, whether electronic or hard copy.