02529 Page 1 of 2

From: <u>clittrel@standard.com</u>

To: <u>clittrel@standard.com</u>

Columbia River Crossing;

CC:

Subject: Comment from CRC DraftEIS Comments Page

**Date:** Thursday, June 05, 2008 11:56:11 AM

**Attachments:** 

Home Zip Code: 97225 Work Zip Code: 97124

Person:

Other -



Person commutes in the travel area via:

Car or Truck

### P-0918-001

- 1. In Support of the following bridge options: Replacement Bridge
- In Support of the following High Capacity Transit options: Bus Rapid Transit between Vancouver and Portland Light Rail between Vancouver and Portland
- 3. Support of Bus Rapid Transit or Light Rail by location:

Lincoln Terminus: Yes Kiggins Bowl Terminus: Yes Mill Plain (MOS) Terminus: Yes Clark College (MOS) Terminus: Yes

Contact Information: First Name: Chris Last Name: Littrell

Title: Senior Mortgage Loan Officer E-Mail: clittrel@standard.com

Address: 19225 NW Tanasbourne Drive

Hillsboro, OR 97124

Comments:

P-0918-002 Replace the bridge.

## P-0918-001

Preferences for specific alternatives or options, as expressed in comments received before and after the issuance of the DEIS, were shared with local sponsor agencies to inform decision making. Following the close of the 60-day DEIS public comment period in July 2008, the CRC project's six local sponsor agencies selected a replacement I-5 bridge with light rail to Clark College as the project's Locally Preferred Alternative (LPA). These sponsor agencies, which include the Portland City Council, Vancouver City Council, TriMet Board, C-TRAN Board, Metro Council, RTC Board, considered the DEIS analysis, public comment, and a recommendation from the CRC Task Force when voting on the LPA.

With the LPA, new bridges will replace the existing Interstate Bridges to carry I-5 traffic, light rail, pedestrians and bicyclists across the Columbia River. Light rail will extend from the Expo Center MAX Station in Portland to a station and park and ride at Clark College in Vancouver. Pedestrians and bicyclists would travel along a wider and safer path than exists today.

For a more detailed description of highway, transit, and bicycle and pedestrian improvements associated with the LPA, see Chapter 2 of the FEIS.

#### P-0918-002

Thank you for your comment. Preferences for specific alternatives or options, as expressed in comments received before and after the issuance of the DEIS, were shared with local sponsor agencies to inform decision making.

02529 Page 2 of 2

 P-0918-003
 Expand the bridge.

 P-0918-004
 Add light rail.

 P-0918-005
 Make merging simple.

Build for the future. Cars sitting in gridlock creates global warming. Keep the cars moving!!

Following the selection of the LPA in July of 2008, the CRC Project Sponsors Council (PSC) was developed to provide recommendations to the project on a variety of issues, including the number of add/drop lanes over the river crossing. Over the course of several months, PSC was provided with operational characteristics and potential environmental impacts of 8-, 10-, and 12-lane options. These technical evaluation criteria included, but were not limited to, traffic safety, congestion, traffic diversion onto local streets and I-205, regional vehicle miles travelled, transit ridership, regional economic impact, effects to neighborhoods, and protected species and habitats. In additional to the technical information, PSC received input from CRC advisory groups and reviewed public comment submitted to the project and obtained during two public Q&A sessions in January 2009 regarding the number of lanes decision, as well as hearings conducted by Portland City Council and by Metro Council. In August 2010, the PSC voted unanimously to

The proposed new lanes are add/drop lanes (i.e., lanes that connect two or more interchanges), which are used to alleviate safety issues associated with the closely spaced interchanges in the project area, and accommodate the 68 to 75% of traffic that enters and/or exits I-5 within two miles of the Columbia River.

recommend that the replacement bridges be constructed with 10 lanes and full shoulders. For more information regarding the number of lanes decision making process, see Chapter 2 (Section 2.7) of the FEIS.

# P-0918-004

P-0918-003

Thank you for your comment. Preferences for specific alternatives or options, as expressed in comments received before and after the issuance of the DEIS, were shared with local sponsor agencies to inform decision making.

# P-0918-005

Congestion, especially idling traffic, increases GHG emissions compared to free-flowing traffic.