

Please select your comment category and enter your comment
Please select from the following categories Enter your text below

Pacific Street Interchange

Add Comment

Cancel Comment

I-0414-001

- General Comments
- Comments on Alternatives
- Comments on Environmental Effects
- Comments on Construction Effects

My husband Dr. David Dunning and I have lived in Laurelhurst in the property at 4223 N. E. 33rd Street for nearly 35 years. We love our home and neighborhood. Ours is an old house on the waterfront that has a view of the 520 bridge and the Montlake Cut. We recognize that there is a need for change and after careful review of the options and receiving information at a community meeting, we strongly support the Pacific Interchange Option. It seems clear to us that other options will create added congestion and other unpleasant environmental effects. Though the University may initially object, we believe Pacific Interchange will greatly improve access to the University and relieve the current traffic problems in both the Montlake and University area.

Another concern is the added noise factor that the new bridge can cause and we urgently request that every specification include ways to limit noise and dirt that can result from increased traffic. We know such materials are available.

We appreciate the opportunity to comment and are available to comment further if it would be helpful. Our home phone is 206-524-9963. My e-mail is (donna@effectiveteacher.com). My husband has read and approved these comments.



[Questions, comments or issues?](#)

I-0414-002

Copyright WSDOT © 2006

[Traffic & Roads](#) | [Search](#) | [Contact WSDOT](#) | [WSDOT Business](#) | [Privacy Policy](#) | [WSDOT Home](#)

I-0414-001

Comment Summary:

Pacific Street Interchange Option

Response:

See Section 1.2 of the 2006 Draft EIS Comment Response Report.

I-0414-002

Comment Summary:

Noise Walls

Response:

See Section 12.2 of the 2006 Draft EIS Comment Response Report.